



**2026
MHERO 2**

MHERO 2

PERFORMANCE

- 1.5L Turbo-Petrol Engine
- 536 Horsepower PHEV off-road SUV
- 700 Nm Torque
- 100 km EV Range
- 729 km Hybrid Range
- 42.9 kWh Battery Capacity
- 0-100 km/h in 6 seconds
- 20-inch Rims, Pirelli SCORPION Tires

DIMENSIONS

Length 4987 mm x Width 2080 mm x Height 1935 mm

Wheelbase 2950 mm

FEATURES

- Air Suspension
- 4-Wheel Steering
- Intelligent Wading System
- Crab Walk Mode
- Crawl Mode
- Front and Rear Diff Lock
- 15.6 inch Floating Touchscreen
- 12-3 inch Full LCD Dashboard
- Front and Rear Hooks
- 84L Fuel Tank Capacity
- Apple CarPlay
- Full Speed Adaptive Cruise Control
- 360 Degree Vision Camera
- Dynaudio Confidence 16-Speaker Sound System
- Fridge

























A set of four rectangular buttons arranged in a 2x2 grid, located on the center console. Each button features a small, light-colored icon, likely representing different driving modes or vehicle settings.

A rectangular speaker grille with a fine, woven mesh pattern. The word "DYNAUDIO" is embossed in a sans-serif font on the upper left corner of the grille's frame.

A single rectangular button with a light-colored icon, possibly a parking brake or a specific vehicle function, located on the upper part of the center console.

A set of three vertical, rectangular buttons or sliders, likely for climate control or window operation, located on the upper part of the center console.

A rectangular control panel with a silver-colored trim, featuring a central joystick-like controller and several surrounding buttons, including one with a star icon, located on the steering wheel.





14:42

P

27°C



0


km/h



No Stations Available

CHARGE

POWER




--- km



6 km

Comb 6 km



Torque

0%



2WD

36 km











POL
POD
Cargo Type
Cargo Brand
VIN No.
Cargo Dimension
L:(M) W:(M) H:(M)
5.1 2 1.5

—MHERP







ONLY USE UNLEADED GASOLINE
95% AND ABOVE
استخدم فقط الغاز بنزين
المتكافئ 95% وما فوق

8200054660
LITERS LITRE OVA CLONS
METERS MILLIMETRES



MHERO





MHERO

200V AC
10A MAX







AC

DC











CONTINENTAL
CROSSCONTACT

MHERO II

ALWAN

